



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

C3-8-2-1**Job Sheet 182828****Part No:** C3-8-2-1**Job Qty:** 10 ea**Part Name:** Solenoid**Part Weight:** 0 lbs**Status:** Scheduled**Priority:** Medium**Job Created:** 9/4/18**Job Tracking No:****Due Date:** 9/10/18**Created By:** Logan David**Type:** SOLD**Description:****Note:** DWG C3-8-2 Rev 3 IPP Rev A 18.04.09 new issue DP Verify DD**Ship Via:****Bill of Materials****Job Routing**

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup hrs	Run Hrs	Workcenter / Supplier	Lead Time	
90	Start up Operation	10 Ea		9/10/18	0.00	0.00	Start Up Machining-4		
100	Mill Conv	10 pcs		9/10/18	0.50	2.00	Mill Conv 2		
110	QC	10 pcs		9/10/18	0.00	0.00	QC2 Machining-5		
120	QC	10 pcs		9/10/18	0.00	0.00	QC8 Machining-5		
130	Packaging	10 pcs		9/10/18	0.00	0.00	Packaging3-2		
140	QC21-SA	10 Ea		9/10/18	0.00	0.00	QC21		

Part Op 100 - 1-USE C3-8-2-F1FIXTURE FOR DRILLING THE PIN HOLE. 2-REMOVE COIL SPRING BEFORE DRILLING
Descriptions: HOLE. 3-TURN SHAFT AS SHOWN IN FIXTURE BEFORE DRILLING (CLOCKWISE). 4-Engrave S/N and/or P/N
number using Marktronic engraver as per DWG.

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
152951-001	Solenoid	10 Ea (1 ea)	90-Start up Operation	5082463

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
90-Start up Operation	152951-001	10	41	0

Part Specifications

Specifications could not be found.

**Container No:** S114113**Part:** C3-8-2-1**Job No:** 182828**Serial No/Batch:** S114113**Revision:****Inspector:****Exp Date:****Instructions:**


Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Plex 9/4/18 9:01 AM dart.logan.david

Date: 09/27/18

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1		ADDED SPACER C3-8-31.	10/10/2012	RJC	DW
1A	14-0111	CH'D TITLE BLOCK WAS RED BARN IS DART. ADDED ENGRAVE NOTE. ADDED NOTE $\triangle$ 1.	8/7/2014	DJN	RW
2	14-0195	C3-8-2-1 CH'D DIM WAS LIMITS $\varnothing.0933$ - $\varnothing.0937$ IS LIMITS $\varnothing.094$ - $\varnothing.097$. ADDED "(CLOCKWISE)" TO NOTE $\triangle$ 3. CH'D NOTE 4 WAS PLACE BUSHING AND PIN IN PLACE AS SHOWN AFTER DRILLING IS INSTALL SPACER AND PIN IN PLACE AS SHOWN ON SHEET 1 AFTER DRILLING. ADDED ENGRAVE BATCH NUMBER NOTE. C3-8-3-1 CH'D DIM WAS $\varnothing 2.285$ IS $\varnothing 1.95$. CH'D TOLERANCE ON NON-CRITICAL DIMENSIONS.	10/23/2014	DPD	JAG
3	15-0243	UPDATED TO NEW DRAFTING STANDARDS. C3-8-3-2 DELETED; REPLACED WITH 32446.	8/25/2015	DPD	JAG



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 179131 MJS
1806-44


NOTE:
 $\triangle$ 1 CONNECTIONS SUPPLIED LOOSE.

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
		B/O	C3-8-2-1	1	SOLENOID		TESTCO #152951-001	1,2
			C3-8-2-2	1	SOLENOID PIN SPACER	303 S.S.		3
		B/O	C3-8-3	1	SPRING PIN	18-8 S.S.	$\varnothing 3/32$ X $1/2$ (MCMaster-CARR #92373A143)	1
		B/O	C3-8-3-1	1	SPACER	PETG		4
		B/O	32446	2	22-16 AWG KNIFE CONNECTOR		(ALLIED ELECTRONICS 32446)	1

DART AEROSPACE	
TITLE SOLENOID ASSEMBLY	
DWG NO. C3-8-2	
REV 3	
DRAWN BY: CANAM	
APPROVED <i>D. Weil</i>	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX $\pm$.005 FRACTIONS $\pm$ 1/8 .XX $\pm$.01 ANGLES $\pm$ 5° .X $\pm$.1	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1:2	DATE 12/19/2001
SHEET 1 OF 4	


This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
2	14-0195	C3-8-2-1 CH'D DIM WAS LIMITS $\varnothing.0933-.0937$ IS LIMITS $\varnothing.094-.097$. ADDED "(CLOCKWISE)" TO NOTE 3. CH'D NOTE 4 WAS PLACE BUSHING AND PIN IN PLACE AS SHOWN AFTER DRILLING IS INSTALL SPACER AND PIN IN PLACE AS SHOWN ON SHEET 1 AFTER DRILLING. ADDED ENGRAVE BATCH NUMBER NOTE.	10/23/2014	DPD	JAG



$\varnothing.097$
 $\varnothing.094$

.232



ENGRAVE
BATCH
NUMBER

NOTES:

1. USE C3-8-2-F1 FIXTURE FOR DRILLING THE PIN HOLE.
2. REMOVE COIL SPRING BEFORE DRILLING HOLE.
3. TURN SHAFT AS SHOWN IN FIXTURE BEFORE DRILLING (CLOCKWISE).
4. INSTALL SPACER AND PIN IN PLACE AS SHOWN ON SHEET 1 AFTER DRILLING.



(C3-8-2-1)

SOLENOID WITH PINNED HOLE

DART AEROSPACE	
TITLE SOLENOID ASSEMBLY	
DWG NO. C3-8-2	REV 3
MAT'L UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX $\pm .005$.XX $\pm .01$.X $\pm .1$ FRACTIONS $\pm 1/8$ ANGLES $\pm .5^\circ$	DRAWN BY: CANAM APPROVED: <i>D Weil</i> HEAT TREAT FINISH SPEC USED ON MODEL
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1:1	DATE 12/19/2001
SHEET 2 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS							
REV	ECR	DESCRIPTION			DATE	INITIAL	APPROVED



SECTION A-A




C3-8-2-2

SPACER

DART AEROSPACE	
TITLE SOLENOID ASSEMBLY	
DWG NO. C3-8-2	REV 3
MAT'L 303 S.S.	DRAWN BY: CANAM
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005 FRACTIONS ± 1/8	HEAT TREAT
.XX ± .01 ANGLES ± 5°	FINISH
.X ± .1	SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 8:1	DATE 10/31/2001
SHEET 3 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
1		ADDED SPACER C-3-8-3-1	10/10/2012	RJC
2	14-0195	C3-8-3-1 CH'D DIM WAS Ø2.285 IS Ø1.95.	10/23/2014	DPD



C3-8-3-1

SPACER

DART AEROSPACE	
TITLE SOLENOID ASSEMBLY	
DWG NO. C3-8-2	REV 3
MAT'L PETG	DRAWN BY:
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .010 FRACTIONS ± 1/8	HEAT
.XX ± .03 ANGLES ± 5°	TREAT
.X ± .1	FINISH
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	SPEC
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL
SCALE 1:1	DATE
SHEET 4 OF 4	

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					